

## ANNEXURE-II

## MAHARASHTRA UNIVERSITY OF HEALTH SCIENCES, NASHIK INFRASTRUCTURE

## DETAILS OF COLLEGE AND HOSPITAL

Sr. No.	Particulars to be verified	Details on College website	Adequate / Inadequate
<b>College</b>			
1	<b>Land details</b> (as per M.S.R.): Total land (Not less than 2 acres), (Owned or leased land), unitary or not, NA of all land, 7/12 extracts of all land, Constructed Area Details 26895 q.ft./Sq.mtr. <b>(Applicable only to Private Colleges).</b> (Verify land documents & Government permissions documents are uploaded on College Website.) (No Land/ Construction documents shall be submitted to the University. Only deficit information to be pointed out to the University).	Yes / No	Adequate
2	Dean office 600 sq fits  Professor's Office, Associate Professor's Office 100, Assistant Professor's Office 600 sq.ft., Administrative Block as per M.S.R. 600 sq.fits..		Adequate
3	<b>All DEPARTMENTS</b> (as per M.S.R.): Human Anatomy 1200 sq.ft., Human Physiology 1200 sq. fits, Electrotherapy & Electrodiagnosis 1200 sq.fits, Kinesiotherapy & Physical Diagnosis 5000 sq.ft., Musculoskeletal Physiotherapy, Neuro Physiotherapy, Cardiovascular & Respiratory Physiotherapy, Community Physiotherapy	Yes / No	Adequate
4	<b>College Library</b> (as per M.S.R.):  Area (1200 Sq.Ft.), Reading Rooms for Students, Staff Reading Room, Room for Books & Journals, Rooms for Librarian and Other Staff; Journal Room, Number of Computers with internet facility with minimum 15 nodes, Photocopier Machine, Total No. of books, Number of Journals: (Titles only), (Multiple volumes / issues of one title should be counted as ONE).  <b>No. of books added in last year: NIL</b> <b>No. of Journals titles added in last year : NIL</b> [Bills shall be verified by the Committee.]  <b>Digital Library / e - Library availability</b>	Yes / No  Yes / No  Yes / No	Adequate  Adequate  Adequate
5	<b>Details of all Lecture Theatres with Seating Capacity</b> (as per M.S.R.) along with AV Aids including overhead projector, LCD Projector and a microphone / multi Podium system. There shall be provision for E-class. Lecture halls must have facilities for conversion into E-class/Virtual class for teaching.	Yes / No	Adequate
6	<b>Conference Room for Faculty:</b> (as per M.S.R.)	Yes / No	Adequate
7	<b>Mini Auditorium: (15 Sq.Ft./Student)</b> (as per M.S.R.)	Yes / No	Adequate



8	<b>Class Rooms: (15 Sq.Ft./Student) (as per M.S.R.)</b>	Yes / No	Adequate
9	<b>Core Laboratories: (50 sq.ft./Student) (as per M.S.R.)</b> <b>Exercise Physiology &amp; Fitness :</b> Computerized Treadmill, Bicycle ergometer with speedometer, Skin fold caliper, Body composition analyzer, Weighing scale with height measurement, Spirometer, Peak flow meter, Energy Consumption analyzer, Pulse Oxymeter, ECG, Flutter, Inspiratory Muscle Trainer, Oxygen Cylinder, Nebulizer (ultrasonic), Nebulizer (Jet), Portable Suction Machine, B.P. Apparatus & Stethoscope, Shuttle Walk Test Software (Desirable).	Yes/No	Adequate
10	<b>Physiotherapy Museum: (as per M.S.R.) (Desirable)</b>	Yes / No	Adequate
11	<b>Yoga / Clinical Skill Laboratory: (60 sq/ft/stident)(as per M.S.R.)</b> Yoga Mats / Pediatric Mats / Mats for Training Neurotherapeutic Skills, Adjustable Manual Therapy Plinth, Therabands & Theratubes, Swiss balls, Stability Trainers, Sensory Assessment Kit, Balance Assessment & Training Equipment, Stools, Benches, Wheel Chairs, Stairs, Ramps For Training Transfers.	Yes / No	Adequate
12	<b>University Examination Infrastructure:</b> Strong Room for examination a) (Area- 1200 sq.ft, b) Shelf, c) Steel cupboard - 1, d) CCTV, Photocopier Machine, Examination hall with benches, Parking Facility for University vehicle, Guest house facility	Yes- / No	Adequate
13	<b>Residential quarter facility for staff:</b> Teaching, Non-teaching, Paramedical & Nursing staff	Yes/ No/NA	Adequate
14	<b>Other facilities:</b> Hospital Waste Management Unit, Research Cell, Intercom Network, Playground, P.T Teacher or Instructor, Common Rooms for Boys, Common Room for Girls, Cafeteria, Facility for indoor games, Gymnasium / Gymkhana Facility.	Yes / No	Adequate
15	<b>Hostel Facility:</b> Boys (UG), Girls (UG), Interns, Canteen Facility, Warden/ Rector, Hygiene, etc. [Note: Verify Canteen Facility is monitored as per MUHS Circular No.18/2019 dated 19/03/2019.]	Yes / No	Adequate
	<ul style="list-style-type: none"> <li>As per Central Council Norms/ University Norms, above Infrastructure must be available at College and all information with photographs must be uploaded on College Website.</li> <li>If Infrastructure is available, then mark "Adequate" &amp; do not attach any documents.</li> <li>In case of "Inadequate", it must be remarked as "Inadequate" with documentary evidence.</li> </ul>		



HOSPITAL			
16	Hospital Details	Details on College Website	Adequate / Inadequate
	Name of the Hospital :Civil Hospital Wardha	Yes / No	Adequate
	Bed Strength :350 beds		
	Number of beds registered as per BNH act:		
17	Clinical Facilities : Parent / Attached Hospital (Govt./Civil/Private) Must be within 10km. radius of the College		
a.	Total built up area of Hospital (in Sq.Ft.) : 1 Lack sq.feet	Yes / No.	Adequate
b.	Whether Hospital is registered under any act under Local Authority such as Corporation, Municipality, Gram Panchayat etc.:  (Please attach copy of registration certificate)	Yes / No	Adequate
c.	Whether Casualty is available and functional : Yes Civil Hospital Wardha	Yes /No	Adequate
18	Required Beds (UG & PG) Indoor and Outdoor Facility (as per M.S.R.)	Yes / No	Adequate
19	Ambulances : Owned, Hired		Adequate
	Any other		
	<ul style="list-style-type: none"> <li>As per Central Council Norms/ University Norms, above Infrastructure must be available at College and all information with photographs must be uploaded on College Website.</li> <li>If Infrastructure is available, then mark "Adequate" &amp; do not attach any documents.</li> <li>In case of "Inadequate", it must be marked as "Inadequate" with documentary evidence.</li> </ul>		

Dean / Principal Stamp & Signature



  
Principal  
Chetna Physiotherapy College  
WARDHA